LC 4413 (3)

Library

1

THE RURAL DISTRICT COUNCIL OF GODSTONE

(Public Health Department)



ANNUAL REPORT


1 9 6 3

PUBLIC HEALTH DEPARTMENT

COUNCIL OFFICES

OXTED, SURREY

(Telephone No. Oxted 3232)



THE RURAL DISTRICT COUNCIL OF GODSTONE

ANNUAL REPORT

of the

MEDICAL OFFICER OF HEALTH

for the year 1963.

TO THE CHAIRMAN AND MEMBERS OF THE PUBLIC HEALTH COMMITTEE.

Madam Chairman, Ladies and Gentlemen,

I beg to present my Report on the public health, sanitary circumstances and vital statistics of the Rural District of Godstone in the year 1963.

The Report is drawn up generally in accordance with the requirements of the Ministry of Health, as indicated in Circular 1/64, and contains the information requested in the Public Health Officers' Regulations, 1959.

Reference is made to the fairly widespread prevalence of a relatively mild type of influenza and of non-specific respiratory ailments in the latter part of January and to the expected biennial epidemic of measles amongst the child population, which reached a peak of maximum incidence in March. The case rates for other infectious diseases continued at the very low level that has been usual in recent years. The complete absence of cases of acute poliomyelitis and other infectious diseases of the nervous system and the sharp decline in the incidence of bacterial food poisoning and similar intestinal infections are also favourable features. With regard to the latter, the occurrence of cases of enteric fever amongst visitors returning from locally infected holiday resorts on the Continent called for increased vigilence and precautionary measures by the Public Health Department.

With regard to active prevention, there was no major change in the arrangements for protective inoculation against the ever-widening range of diseases for which effective immunising agents are now available. The rates of acceptance were, on the whole, well maintained, though the number of primary vaccinations of young infants against smallpox was very much smaller than usual. This was largely in consequence of the official advice that routine infant vaccination is preferably postponed until the second year, when there is less risk of serious complications; it is, accordingly, expected that the observed reduction in primary vaccinations

is likely to be temporary. The latest important advance in the field of active prevention, namely, the substitution of oral vaccine against poliomyelitis for the Salk vaccine, which is given by injection, has very decided advantages from the immunological and epidemiological points of view and has, moreover, greatly encouraged acceptance of artificial protection against the disease.

On the whole, the various statistical rates for the year do not show any wide or significant variation from those recently recorded in the Rural District and compare favourably with the corresponding rates for the country as a whole. The recorded birth rate of 15.9 per 1,000 of the population is lower than that for 1962, but is above the average for the preceding ten years. The proportion of infants registered as stillborn is the lowest yet observed in the Rural District, though the rate of mortality in the immediate post-natal period, particularly of babies born prematurely is much higher than usual. The general death rate of 11.9 is somewhat below the average and, when adjusted, is 2.1. below the National figure. Attention is drawn to substantial increases in mortality from respiratory ailments, coronary disease and cancer of the lung; there were, however, many fewer deaths from violence and accidental causes.

Further progress was made in implementing the Council's programme for the clearance of unfit dwellings. Twenty such dwellings in Clearance Areas and ten individual unfit houses were demolished in 1963 in pursuance of Orders made in previous years, and ten others were officially represented with a view to similar action. A total of 23 families, comprising 41 persons, were re-housed by the Council from the properties concerned.

A notable development during the year was the action taken by the Council in relation to the Caravan Encampment in Green Lane, Outwood. The site covers an area of roughly six acres and has been in use for its present purposes since 1945. In May 1963, it was occupied by 33 families, consisting of 114 adults and 45 children, living in caravans, huts and similar structures which, with very few exceptions, were grossly overcrowded, inadequately lighted and ventilated and generally lacking in sanitation, drainage and other essential public health amenities. This

Encampment had engaged the attention of the Council and its Officers for a long period, but effective action to secure control of the site and improve the conditions thereat was precluded by the legal and technical difficulties involved. In accordance with the extended powers conferred by the Caravan Sites and Control of Development Act, 1960, the Council resolved to acquire the land, using compulsory powers if necessary, and develop it as a controlled Caravan Site. Following a Public Inquiry, the Minister of Housing and Local Government confirmed the Compulsory Purchase Order and preliminary arrangements had been made before the end of the year for the clearance and development of the site.

It was not necessary in 1963 to exercise the powers conferred by Section 47 of the National Assistance Act, 1948, to secure the compulsory removal to hospital or other suitable premises of persons who were not being properly care for in their own homes. Two cases in which it was thought such action might be considered were fully investigated, but did not satisfy the conditions necessary to warrant compulsory removal. Both the persons concerned were eventually persuaded to accept institutional care in suitable hospitals. There was three other cases in which the question of compulsory removal did not arise, but in which the low standard of personal care and the insanitary state of the dwelling urgently required the attention of one or other of the domiciliary social services. The assistance thereby given obviated the need for further action and was adequate to ensure and maintain a reasonably satisfactory standard of comfort, hygiene and amenity.

Brief reference is made to the routine activities of the Public Health Department in connection with the measures taken to ensure a satisfactory standard of purity and quality of water, milk and food supplies, sanitary inspection, duties under the Factories Acts, scavenging and cleansing, disinfection and disinfestation, supervision of caravans and camping sites and other matters having a direct bearing on environmental hygiene and the prevention of disease and ill-health.

I again gratefully acknowledge my indebtedness to the Chairman and Members of the Public Health Committee for the support and consideration they have kindly extended to me throughout the year. My sincere thanks are due also to Mr. A.H. Sewell, Chief Public Health Inspector, and to the medical practitioners in the district for their willing assistance and close co-operation in all measures directed to the promotion of the public health.

I am, Madam Chairman, Ladies and Gentlemen,
Your obedient Servant,
T.H. BINGHAM
Medical Officer of Health.

7th September, 1964.

SECTION 1

STATISTICS AND SOCIAL CONDITIONS

Area (Land and Inland Water) in acres	52,507
Population at Census, 1961	40,225
Registrar-General's estimate of resident population	
at mid-year, 1963	41,900
Number of inhabited houses at the end of 1963,	
according to the Rate Books	13,533
Rateable Value (1st April 1964)	£1,757,366
Sum represented by a Penny Rate	£7,320

TABLE 1

The area and population at the 1961 Census of the various Parishes comprising the Rural District, and the rateable value of each Parish at 1st April, 1964, are as follows:

PARISHES	AREA IN ACRES	CENSUS POPULATION OF PARISHES 1961	ESTIMATED POPULATION MID-YEAR 1963	RATEABLE VALUE AT 1.4.64
Bletchingley	5,793	3,395	3,694	£ 113,436
Burstow	4,750	4,374	4,315	147,131
Chelsham	2,703	1,285	1,350	42,866
Crowhurst	2,119	296	377	12,137
Felbridge	2,097	£ 1,372	1,685	80,761
Godstone	4,466	5,510	5,562	214,712
Horne	3,606	805	846	29,425
Limpsfield	4,588	3,296	3,641	196,874
Lingfield	9,239	6,871	7,116	252,663
Nutfield	3,390	2,597	2,570	146,422
Oxted	3,743	8,094	8,267	396,977
Tandridge	2,719	713	860	23,657
Tatsfield	1,304	1,462	1,462	59,776
Titsey	1,989	155	155	7,178
(S.E. Gas and Electricity Boards)	**	8 3	-	33,351
TOTALS	52,507	40,225	1 -1 ,900	£1,757,366

^{*} Constituted as a separate Parish on 1st April, 1953.

TABLE II

EXTRACTS FROM VITAL STATISTICS

7 11 1 270 700		
Legitimate Males 339 Females 302 Illegitimate Males 14 Females 15	Total Total	641 29
Illegitimate Males 14 Females 15	TOTAL	47
Birth Rate do 1962		15.9 16.6
do 1962		16.3
Still Births		
Legitimate Males 6 Females 1	Total	7
Illegitimate Males 1 Females -	Total	1
Rate per 1,000 total births		11.7
do do 1962		18.6
Total Live and Still Births		
Males 360 Females 318	Total	678
Illegitimate Live Births per cent of Total Live Births		4.3
Infant Mortaility: -		
Deaths of infants under the age of one year:-		
Legitimate Males 8 Females 9	Total	17
Illegitimate Males 1 Females -	Total	i
Infant Death Rates:-		
All infants per 1,000 live births		26.8
Legitimate infants per 1,000 legitimate live births		26,5
Illegitimate infants per 1,000 illegitimate live births		34.4
Deaths of infants under the age of 4 weeks		
Legitimate Males 6 Females 6		
Tilecitimate Males - Hemales -	Total	12
Illegitimate Males - Females -	Total Total	
Illegitimate Males - Females - Neo-natal Mortality Rate per 1,000 live births		
Neo-natal Mortality Rate per 1,000 live births		17.9
Neo-natal Mortality Rate per 1,000 live births		
Neo-natal Mortality Rate per 1,000 live births		- 17.9 Nil
Neo-natal Mortality Rate per 1,000 live births		- 17.9 Nil
Neo-natal Mortality Rate per 1,000 live births	Total	- 17.9 Nil Nil 499
Neo-natal Mortality Rate per 1,000 live births	Total	- 17.9 Nil Nil 499
Neo-natal Mortality Rate per 1,000 live births	Total	- 17.9 Nil Nil 499 494
Neo-natal Mortality Rate per 1,000 live births	Total	- 17.9 Nil Nil 499
Neo-natal Mortality Rate per 1,000 live births	Total	- 17.9 Nil Nil 499 494 11.9 12.0 11.6
Maternal Mortality:- Deaths from pregnancy, childbirth and abortion Rate per 1,000 total (live and still) births Deaths (nett):- Males . 235 Females . 264 Do. 1962:- Males . 209 Females . 285 Death Rate:- Do. 1962 Do. for the five years 1958 to 1962	Total	- 17.9 Nil Nil 499 494 11.9 12.0
Neo-natal Mortality Rate per 1,000 live births	Total	- 17.9 Nil Nil 499 494 11.9 12.0 11.6
Maternal Mortality:- Deaths from pregnancy, childbirth and abortion Rate per 1,000 total (live and still) births Deaths (nett):- Males . 235 Females . 264 Do. 1962:- Males . 209 Females . 285 Death Rate:- Do. 1962 Do. for the five years 1958 to 1962	Total	- 17.9 Nil Nil 499 494 11.9 12.0 11.6 65.1
Maternal Mortality:- Deaths from pregnancy, childbirth and abortion Rate per 1,000 total (live and still) births Deaths (nett):- Males . 235 Females . 264 Do. 1962:- Males . 209 Females . 285 Death Rate:- Do. 1962 Do. for the five years 1958 to 1962	Total	- 17.9 Nil Nil 499 494 11.9 12.0 11.6 65.1

The resident population of the Rural District of Godstone, including members of the Armed Forces stationed in the area, was estimated by the Registrar-General to be 41,900 at mid-year, 1963. This is equivalent to a population increment of 960, or 2 3 per cent., in the preceding twelve months, of which 171 is attributable to natural increase, (i.e. the number by which the live births outnumbered the total deaths) and 789 to migration into the area. The estimated population gains under both headings are roughly in accord with the average for recent years.

The recorded birth rate of 15,9 per 1,000 of the estimated population is below that for each of the three preceding years, but slightly exceeds the ten-year average. When adjusted by the prescribed formula for purposes of comparison, the recorded rate is advanced to 16.3, which compares with the National rate of 18.2 for the same period. The illegitimacy rate of 43 per 1,000 live births is the lowest for three years and is well below the corresponding rate of 69 for England and Wales.

The proportion of infants registered as stillborn, namely 11.7 per 1,000 total births, is the lowest yet recorded in the Rural District and is appreciably below the stillbirth rate of 17.2 for the country as a whole. The fall is, to some extent, offset by an increased rate of mortality of new-born infants, which is the highest for several years and slightly exceeds the infants mortality rate for England and Wales.

The 18 deaths in the 0 - 1 year age group include 12 of infants who failed to survive for one month, of whom 9 died in their first week. With the exception of one due to viral infection, all the infants deaths took place in hospital or local maternity units and were attributed to: congenital abnormalities (7), prematurity (6), respiratory infection (2) and asphyxia due to inhalation of stomach contents (2). The relatively high mortality from congenital defects is not, so far as is known, associated with the administration of sedative drugs in the early months of pregnancy.

The general death rate of 11.9 per 1,000 of the estimated population compares with 12.0 in 1962, and with an annual average rate of 12.2 in the preceding ten years. When adjusted, the local rate is reduced to 10.1, which is 2.1 below the National figure.

As regards the certified causes of death, the most noteworthy feature is the appreciable rise in the mortality ascribed to bronchitis and other

respiratory ailments, with the exception of tuberculosis of the lungs.

This, in the main, relates to persons in the advanced age groups and was directly influenced by the prolonged spell of exceptionally severe weather in the early weeks of the year, and the occurrence of respiratory complications of a relatively mild type of influenza which was fairly widespread at that time.

Deaths from diseases of the heart and circulatory system, though accounting for half of the total from all causes, were somewhat fewer than usual. Attention might, however, be drawn to the relative and fairly substantial increase in mortality from coronary disease and angina, predominantly amongst males in late middle age, and reduction in the number of deaths from hypertension and other types of circulatory disease. Most of the latter can be classified under the heading of chronic and degenerative conditions occurring as a terminal episode in association with senility.

The number of deaths from all forms of cancer and malignant disease is precisely the same as in 1962 and is not appreciably or significantly above the average for the Rural District. With regard to the organs affected, it is disquieting to record an increase in fatal cases of cancer of the lung to the highest level yet observed. The 22 deaths included under this heading represent a mortality rate (adjusted) of 0.44 per 1,000 of the population, which compares with 0.51 for England and Wales.

A favourable feature of the analysis of deaths is the very sharp decline in the mortality ascribed to violence and accidental causes.

Only one person was fatally injured in a motor vehicle accident, as compared with seven in 1962 and nine in 1961. Deaths from other accidental causes are also much fewer than usual and include five resulting from injuries sustained by the elderly in accidental falls, two from asphyxia due to inhalation of stomach contents, one from drowning and the remainder from miscellaneous forms of accident or misadventure. There was only one recorded death from suicide, as compared with three in 1962 and four in 1961.

The numbers of deaths assigned to other specified causes are set out in Table III. They do not differ greatly from those recorded in the Rural District in recent years and do not indicate unusual or excessive mortality from any particular cause or significant association with occupation or environment.

TABLE III

CAUSES OF DEATH IN THE RURAL DISTRICT OF GODSTONE in 1963.

		M	F	TOTAL
1.	Tuberculosis, respiratory.	1	1	2
2.	Tuberculosis, other forms	- CE	163	40
3.	Syphilitic disease	1		1
4.	Diphtheria	CID	_	-
5.	Whooping Cough	-	400	-
ŝ.	Meningococcal infections		479	_
7 ,	Acute poliomyelitis		€	-
8,	Measles	cas	_	
	Other infective and parasitic diseases	-	-	-
0.	Malignant neoplasm, stomach	3	4	7
	Malignant neoplasm, lung, bronchus	17	5	22
	Malignant neoplasm, breast	-	8	8
	Malignant neoplasm, uterus	-	3	5
	Other malignant and lymphatic neoplasms	26	20	46
	Leukaemia, aleukaemia	099	1	1
	Diabetes	1	2	5
7.	Vascular lesions of nervous system	27	44	71
	Coronary disease, angina	61	39	100
	Hypertension with heart disease	1	3	4
),	Other heart disease	19	23	42
	Other circulatory disease	5	21	26
	Influenza	-	2	2
	Pneumonia	20	21	41
	Bronchîtis	14	17	51
	Other diseases of respiratory system	8	4	12
	Ulcer of stomach and duodenum	3	2	5
	Gastritis, enteritis and diarrhoea	-	1	1
	Nephritis and nephrosis	68b	1	1
9.	Hyperplasia of prostate	4	-	4
0.	Pregnancy, Childbirth, abortion	CRES	-	-
	Congenital malformations	3	4	7
	Other defined and ill-defined diseases	19	26	45
3.	Motor vehicle accidents	1	-	1
4.	All other accidents	1	11	12
5.	Suicide	-	1	1
	Homicide and operations of war	œ	-	i i
	TOTALS	235	264	499

PREVALENCE OF, AND CONTROL OVER, INFECTIOUS AND OTHER DISEASES.

Provision of Isolation Hospital Accommodation.

The provision of hospital accommodation for the isolation and treatment of cases of infectious disease is the responsibility of the Regional Hospital Board. Patients from the Godstone Rural District are admitted to the Infectious Diseases Hospital at Bletchingley, if the required accommodation and facilities are available; otherwise, they are sent to isolation hospitals in other parts of the Hospital Region. The disposal to different hospitals of the cases notified during the year was as follows:-

Godstone Infectious Diseases Hospital 2 cases
Queen Mary's Hospital for Children, Carshalton, 2 cases
Lewisham General Hospital 1 case.

In addition, several cases of uncomplicated minor infections
were admitted to hospital, on the recommendation of the Medical Officer
of Health, on grounds of inadequate facilities for home isolation.

Notifiable Infectious Diseases.

Table IV shows the numbers of the various notifiable infectious diseases, other than tuberculosis, recorded in the area during the calendar year, classified according to the age of the patient, together with the number of cases removed to hospital and the total deaths from each disease.

The prevalence of the various notifiable infectious diseases is reviewed below.

TABLE IV

CASES OF INFECTIOUS DISEASE (OTHER THAN TUBERCULOSIS)

NOTIFIED IN THE RURAL DISTRICT OF

GODSTONE IN THE YEAR 1963.

	Cases Notified in							age periods.						م	
	Under	1	2	3	4	5	10	15	20	35	45	65		removed	
	1	to	to	to	to	to	to	to	to	to	to	and		n -1	18°
	year.	2	5	4	5	10	15	20	35	45	65	over		cases pital.	deaths
		The state of the s							2000.2				Totals.	Total cases to hospital.	Total de
Scarlet Fever.	1					3	They have not controlled to the state of the	1.	=	CLD	-		8	1	-
Whooping Cough.	3	1	2	3	2	5		•	eneco	840	-	um	17	a a	-
Measles	7	47	70	82	86	328	53	1.3	1	3	8	-	690	-	-
Pneumonia	-	CHICAGO CONTRACTOR CON	3	70		1	creo	630	2	1	7	2	14	em	41
Dysentery	1	erez-	A COLO	Carry		80	cos	cas	2	CHO CHO	-	CHID	3	-	
Puerperal Pyrexia	Ones	630	Coord	THE COLUMN				COOD	1		ullery	CRIC	1	1	-
Food Poisoning	CAS	A THE STREET WAS A		300		1	1	C	GI-D	•==	OIC	1	3	3	_
TOTALS	12	48	72	87	89	338	56	14	6	4	7	3	736	5	41
TOTALS 1962	5	3	4	6	6	63	23	7	14	1.	4	2	138	16	44

M All forms.

No confirmed or suspected case of small-pox was reported in the Rural District in 1963. Five local religious who were believed to have been in contact with the disease, either this country or abroad, were visited and kept under close sure it. In the prescribed period.

unusually low level. The disease and analy ery mild in clinical type; so much so, that several def and sess probably escaped detection and notification. This was to some and modification and the many and analyses the discovery of convalencent cases in the many and analyses. The purpose were reasonably satisfactory.

The rate of prevalence of whosper and production of protestive vaccination. The reported cases occurred mainly in the second ball of the year and were widely scattered in geographical distribution.

was epidemic amongst the shild population in the early part of the year, with a peak of maximum incidence in M ref. The earliest cases were reported from Nutfield, later from Oxted and subsequently from almost every part of the Rural District. The clinical course of the illness was generally short and mild, except in the case of four children who developed respiratory complications. Multiple cases in the same households were relatively common. The total number of actifications was not unduly high for a year of measles prevalence.

There were relatively few notified he cases of pneumonia. Roughly one-half of these were reported toward the end of Januar, and occurred as a complication of a mild form of influence that was fairly widespread at that time; the other cases did not exhibit any marked seasonal preference. All were satisfactorily nursed at home, with any necessary assistance from the official domicilary services. The deaths ascribed to pneumonia were almost entirely from non-notifiable types of the disea e; hence the apparent inconsistency in the ratio of the disea e; hence the

The three reported cases of the mild

Sonne type and confirmed as such by laboratory findings. So far as could be ascertained, they were not in any way obtained, nor infected from a common source. Laboratory and interest from home and immediate contacts yielded negative results from dysenteric infection. The illness resulting from Sonne infection is not an ally severe, except in the very young and in the aged and infirm, and it is probable, therefore, that the disease is very much more prevalent that the number of notified cases would suggest.

There were three confirmed of an derately severe food poisoning, all of which were treated in aspitus. In the instances, there was strong presumptive evidence of the infection in other districts, in one has a first most and in the other from cream-filled pastry. The probabilities of infection of the third case could not usefully be investigated because of datay in reporting the occurrence. Appropriate presenting and also in a latter to close contacts of the cases.

Althought no confirmed case of typhoid or para-typhoid fever was reported in the Rural District, a very considerable amount of time and attention was given to the examination and supervision of local residents who may have been exposed to the infection elsewhere. Such persons, though not presenting any symptoms of the disease, may nevertheless excrete the causative organism and thus be a potential source of danger to others. Following the occurrence of mases of typhoid fever in persons returning to this country from Zemmit in the early part of the year, it was thought advisable to approach the managements of local water undertakings, catering and food handlangestablishments, hospitals, large industrial concerns, etc. offering facilities for the examination of any of their staff who had recently visited Switzerland. It was also advised that members of organised school parties, youth clubs, etc. who proposed to visit certain Continental resorts, should be adequately protected by vaccination before their departure.

Two Boy Scouts who had recently returned from an Alpine camp at which there had been a case of typhoid fever were kept under supervision until shown, by laboratory finding, to be free from infection. Similar action was taken in relation to the other presumed contacts of typhoid fever.

The examination of eight contacts of para-typhoid fever disclosed that six were excreting the infecting organism. Appropriate precautionary measures were taken, with satisfactory results. In two of these cases the organism was of a type commonly a sacciated with the use of Chinese bulked egg products in baker's confectionary, enquiries in the district elicited the assurance that such products were not used in local bakeries.

TUBERCULOSIS

Particulars of new cases of tuberculosis which came to the knowledge of the Medical Officer of Health during the year are set out in Table V, together with an analysis of the deaths in the area from the disease during the same period.

There were ten new cases of tuberculosis of the lungs in 1963, as compared with nine in 1962 and an annual average of eighteen in the preceding ten years. The case rate for this form of the disease was 0.23 per 1,000 of the population, or 0.01 above that for 1962, which was the lowest yet experienced in the Rural District. With regard to the distribution of the new cases by sex and age, there was relatively higher incidence amongst females in the intermediate age groups, with a corresponding reduction in the numbers of males affected. For the second time since the disease became officially notifiable, no case of non-respiratory tuberculosis was reported.

In addition to the new cases, i.e. these notified for the first time, there were reports of eleven previously known cases of tuberculosis who had taken up residence in the district, after being notified elsewhere. The majority of these are in the quiescent state and are under the supervision of the Chest Physician for the area.

The two deaths from tuberculosis of the lungs were of persons in the advanced age group and represent a mortality rate (adjusted) of 0.039 per 1,000 of the population. This rate is appreciably lower than the annual average for the Rural District and falls well below the corresponding National rate of 0.056. For the second consecutive year no mortality was ascribed to tuberculosis of other organs

At the end of the year there were 130 known cases of tuberculosis in The Rural District, including 112 (66 males and 46 females) in which the lungs were affected and 18 (8 males and 10 females) with tuberculosis of other organs. The total number represents a reduction of 11 on the corresponding figure for 1962. Thirty-one cases were removed from the list during the year; 7 on death, 7 on leaving the district and 17 on complete recovery from the disease.

TABLE V.

NEW CASES OF TUBERCULOSIS AND ALL DEATHS FROM THE DISEASE IN THE AREA DURING 1963 CLASSIFIED ACCORDING TO AGE, SEX AND TYPE OF D.S.

	4	NEW	CASES	DEATHS				
Age periods.	Respi	ratory	No Respi	n- ratory	Respi	ratory	Non- Respiratory	
	M	F	M	F	М	F	M	F
Under 1 year	caso	ത	-	æ	GO	quis		om)
1 - 5 years	CID .	യ	anu	ದಾ	dta	CHINO	OSEO	CIZ
5 - 15 years	.,	æ		QMD	Çana	ары	-	-
15 - 25 years	2	1	am)	60	600		and the same of th	_
25 - 35 years	1	3		CMD	GEQ.	one)		-
35 - 45 years	an Aller	1		CORP	GSP	-	-	611
45 - 55 years	GID	cao	£2	439	TOD	свер	423	es
55 - 65 years	- CO	1		æ	Cole	ಘ	œ	calajo
65 and upwards	œ	cato	cia	eso es	1	1	a	***
Totals	4	6	Œ.)		1	1	am	6003-
Totals 1962	7	2	1	#	1.	1	=	-

No special action was necessary under the Public Health (Prevention of Tuberculosis) Regulations, 1952 (relating to persons suffering from pulmonary tuberculosis and employed in the milk trace), nor under Section 172 of the Public Health Act, 1936 (relating to the compulsory removal to hospital of persons suffering from tuberculosis).

A Mobile X-ray unit visits a site in Godstone once a week, primarily for the x-ray examination of patients referred by medical practitioners, but members of the general public may also attend, without appointment.

One case of respiratory tuberoulosis was discovered amongst the 58 persons (30 males and 28 females) who were thus examined in 1963. This is equivalent to an incidence rate of 1.2 per 1,000 examinations, which compares with 3.8 for the whole of the Hospital Region. In addition,

720 persons (433 males and 287 females) were examined through the normal Mass Radiography Service; none of these had x-ray evidence of "significant" pulmonary tuberculosis, i.e. requiring treatment or close observation, or of primary cancer of the lungs.

The South East Surrey Care Association, which works in close association with the local Chest Clinics, continued its activities on behalf of tuberculous persons and their dependants. Assistance granted during the year included the supply of extra nourishment, fuel bedding, clothing, sick room requisites, etc. and payments of fares, pocket money and other incidental expenses which could not be met from official sources.

Non-notifiable Infectious Diseases.

Information relating to the prevalence of non-notifiable infectious and contagious diseases is inevitably incomplete, and is obtained mainly from reports of school absentees, the periodic statements of sickness claims submitted to the local office of the Ministry of Pensions and National Insurance in relation to insured persons and the Registrar's weekly returns of deaths. Cases also come to notice through enquiries by employers with regard to quarantine periods, requests for disinfection, casual communications by private medical practitioners and applications for domestic assistance under the Home Help Scheme.

Towards the end of January, the local office of the Ministry of Pensions and National Insurance reported that sickness benefit claims had, for a short period, reached epidemic level. This was mainly due to an cutbreak of influenza and fairly widespread prevalence of common colds and respiratory ailments. The influenza had its highest incidence amongst young adults and was relatively mild in clinical type, though convalence was, in most cases, prolonged because of the exceptionally severe weather at that time

There were also reports of 49 cases of mumps, mainly from the Lingfield area, and 43 cases of chicken-pox, which was fairly general in distribution. Nineteen cases of acute gastro-enteritis, which was believed to be infective in origin, were fully investigated but none, ancluding five admitted to hospital for investigation, yielded laboratory evidence of bacterial or viral infection.

There were occasional and circumscribed outbreaks of moderately severe vomiting, mainly affecting school children and believed to be due to virus infection. These responded satisfactorily to the usual precautionary measures. It was not found necessary to advise the temporary closure of any school or department to prevent the spread of non-notifiable infectious illness.

The staff of the Public Health Department assisted in the investigation of an outbreak of acute infective tonsillitis at a boarding school in the district. Throat swabs from all pupils and members of the teaching and domestic staffs were submitted to laboratory examination and appropriate measures were successfully taken in relation to those found to be infected.

Reference might again be made to the assistance given to medical practitioners by the staff of the Public Health Department in connection with the collection of specimens from suspected cases of infection to ensure their speedy submission to laboratory examination. Upwards of 140 specimens were collected for this purpose in 1963. Although this work is time consuming and inevitably interfers to some extent with routine duties, it is undoubtedly of very great value in facilitating the early recognition of cases of infectious illness and the prompt application of appropriate precautionary measures.

VACCINATION AND IMMUNISATION

Vaccination against Small-pox.

Re-vaccination

6

135

35

176

The total numbers of primary vaccinations and re-vaccinations are very substantially lower than usual, and especially so as compared with those for the previous year, when there was an enormously increased demand for protection because of the occurrence of outbreaks of small-pox in several parts of the country. The fall in primary vaccinations of infants under the age of one year was also largely influenced by the official advice that routine infant vaccination is preferably postpened until the second year, when there is less risk of serious complications. It is, therefore, expected that the observed reduction in primary vaccinations is likely to be temporary.

Records of vaccinations and re-vaccinations are not now required in respect of persons over the age of fiteen years; these were formerly included in the totals and, for the most part, related to persons who required valid International Certificates of Vaccination for the purpose of foreign travel.

Immunisation against Diphtheria.

The numbers of children who completed a full course of immunisation during the year, either at the County Council's Clinics or under private arrangements, are as follows:-

 Year of Birth:
 1963
 1962
 1961
 1960
 1959
 1954/58
 1949/53
 Total

 146
 314
 75
 18
 8
 60
 77
 698

In addition, reinforcing doses of diphtheria prophylactic were given to 797 persons, most of whom were school entrants who had completed a course of immunisation three or four years previously.

The foregoing figures, in each age group, show a substantial increase over those for 1962.

Vaccination against Whooping Cough.

The County Council's scheme is aimed at the vaccination against whooping cough of infants under the age of six months, with reinforcing doses about one year later. The numbers of children who completed a full course of immunisation during the year, either at the councy Council's Clinics or under private arrangements are as follows:-

 Year of Birth:
 1963
 1962
 1961
 1960
 1959
 1954/58
 1949/53
 Total

 140
 310
 69
 16
 7
 10
 2
 554

Reinforcing injections of whooping cough vaccine were given to 114 children who had completed a course of primary immunisation a year previously.

As in the case of diphtheria immunisation, the numbers vaccinated against whooping cough were substantially greater than in 1962.

Vaccination against Tetanus,

Vaccination against tetanus is available to shildren whose parents expressly wish them to be so protected. It is the present practice to advise primary immunisation against tetanus before the age of six months, with reinforcing coses about one year later and again at school entry and between the ages of eight and twelve years. Tetanus vaccine may be given separately, but is usually combined with the agents used for active immunisation against diphtheria. A quadruple vaccine for simultaneous immunisation against diphtheria, whooping cough, tetanus and policyplitis has recently become available, but has not yet been officially approved for general use.

The numbers of persons vaccinated against tetanus in 1963 are as follows:

0	- 4 years	555
5	- 15 years	75
		servance fields
		630
		designative q
Re	einforcing doses	194

Vaccination against Poliomyelitis.

There was no extension of the groups eligible for vaccination under the County Council's arrangements, which include persons up to the age of forty years and those who are considered to be exposed to see a risk.

Oral vaccine has almost entirely superseded Salk vaccine, which is given by injection, and is administered in three doses spaced at intervals of four to eight weeks, followed by reinforcing doses three or four years later.

The numbers vaccinated against poliomyelitis by their own doctors or at County Council's clinics during the year are as follows.

	Salk Vaccine	Oral Vaccine	Total.
Primary Immunisation	84	557	641
Reinforcing doses	156	681	837

In addition to the above, 181 persons were given two doses of Oral vaccine to complete immunisation already begun with Salk vaccine.

Measles Prophylaxis.

Immune serum is available through the Public Health Department for the total or partial immunisation of susceptible measles contacts. No request for serum was received during the year.

B.C.G. Vaccination against Tuberculosis.

The County Council's arrangements for routine B.C.G. vaccination against tuberculosis extend to thirteen-year-old pupils at County Council and independent schools, and also to some older pupils and students at County Colleges and other establishments for further education. Subject to the consent of their parents, persons in these groups are skin tested to ascertain if they have already had a primary tuberculous infection, and those giving a negative result are offered B.C.G. vaccination.

The results of testing conducted at ten senior schools in the Rural District in 1963, are briefly summarised as follows:--

Number of pupils in age group	498
Much ar ocuse pains to breatnest	722
Percentage insending to breament	83 8%
Furhe Montoux tasted	200
Number giving a regarive reaction	257
Percentage giving a negative reaction	19 8%
Number of negative resolves vaccinated	25"
Percentage of regutive reactors vancinated	200%
Percentage of age group valoisated	52 5%

In addition to the above, 51 eligible pupils who, for one reason or another had failed to attend on previous occasions, were skin tested.

30 were negative reactors and were successfully vaccinated

Apart from the lower rate of acceptance of treatment, due mainly to poor response at some of the independent schools, the foregoing figures are generally in accord with the findings in previous years.

While the primary purpose of the scheme is the ascertainment and vaccination of children who have not already had a primary infection, it is the usual practice to arrange where possible, for x-ray examination of positive reactors to exclude the possibility of active infection. No unfavourable x-ray findings were reported during the year

It was not mesessary to conduct a special investigation at any school or college in the Rural District in 1963 because of the occurrence of an infectious case of tuberculosis amongst pupils or teaching staff

Protection against other diseases

Prophylactic inoculation against other infectious diseases, such as cholera, yellow fever, etc is ascessary in the case of persons proposing to visit foreign countries where these diseases are endemic, and is usually undertaken at specified centres.

encyclian when was and of the Parish. In a sure place of the Parish a compact from a revert resonance in the factor of the land place and a supplied the Bast Spring Was a Surely of the parts of the land of the parts of the land of the land of the parts of the land of th

The supplies from the public water mains were alreaded in countrity

the regions the year and were augmentally the construction of an additional
bore hole at Flower Lane. The quality of the water, as revealed by

chemical and bacteriological examination at regular intervals, was

invariably reported to be satisfactory. No action was necessary in

respect of any form of contamination.

Samples of the water before and after treatment are submitted for bacteriological examination, under private arrangements made by the Water Companies concerned. In addition, samples of the treated water are examined chemically and/or bacteriologically about forty times a year.

Under a rota system arranged by the Medical Officers of Health of the Districts supplied by the East Surrey Water Company

The numbers of samples taken within the Eural District durat.

The numbers of samples taken within the Eural District durat.

The numbers of samples taken within the Eural District durat.

The numbers of samples taken within the Eural District durat.

The numbers of samples taken within the Eural District durat.

The numbers of samples taken within the Eural District durat.

The numbers of samples taken within the Eural District durat.

The numbers of samples taken within the Eural District durat.

The numbers of samples taken within the Eural District durat.

The numbers of samples taken within the Eural District durat.

The numbers of samples taken within the Eural District durat.

The numbers of samples taken within the Eural District durat.

The numbers of samples taken within the Eural District durat.

The numbers of samples taken within the Eural District durat.

The numbers of samples taken within the Eural District durat.

The numbers of samples taken within the Eural District durat.

The numbers of samples taken within the Eural District durat.

The numbers of samples taken within the Eural District durat.

The numbers of samples taken within the Eural District durat.

The numbers of samples taken within the Eural District durat.

The numbers of samples taken within the Eural District durat.

The numbers of samples taken within the Eural District durat.

The numbers of samples taken within the Eural District durat.

The numbers of samples taken within the Eural District durat.

The numbers of samples taken within the Eural District durat.

The numbers of samples taken within the Eural District durat.

The numbers of samples taken within the Eural District durat.

The numbers of samples taken within the Eural District durat.

The numbers of samples taken within the Eural District durat.

The numbers of samples taken within the Eural District durat.

The numbers of samples taken within the Eural District durat.

The numbers of samples taken within the Eural District durat.

The numbers of samples taken w

La from a princte source of supply was also rejented to be

Supplies from rain-water tanks are confined to out-lying swellings in the Parish of Tatsfield and rot infrequently fail completely after prolonged periods of dry weather. In such circumstances additional applies of water for drinking and domestic purposes can be obtained from

The Marapolitan Weter board on a sent of the transport costs. Five the management in Tatsfield are smoothed guarterly under contract surangements with the Netropolitan Water Board.

The estimated number of dwelling-hours is each parish supplied from the public water mains (direct to houses and by means of stand-pipe), wells and rain-water tanks are set out in Table VI. The population supplies under each beading is shown in transacts. An compared with 1962 there was a reduction of 11 in the number of dwelling-houses with water from wells, and two in the number relying on rain water tanks. It should no noted that the stand-pipes referred to in Table VI do not include those provided on approved caravan sites.

TABLE VI

WATTE SUPPLY.

	Direct to houses	Stand-pipes	Wells	Rain Water Tanks
Elevehingley	1,079 (2,670)	(13)	(12)	C ⁵
Burstow	1,317 (4,306)		(9)	- 1
Cholsham	108 (1,550)	GF	Control of the contro	\vec{1}{2}
Crowhurst	116 (377)	¢ ar	.:.	eu.
Felbridge	564 (1,678)	77.	(7)	∀
Godstone	2,018 (5,556)	CD	2 (6)	ate:
Horne	287 (838)	46	(8)	دی
Limpsfield	1,108 (3,639)	ସ	(2)	دهد
Lingfield	2,236 (7,115)	æ	(3)	cito
Nutfield	820 (2,570)	ra.	νą	G.S
0xted	3,059 (8,267)	Œ	Not	0
Tandridge	233 (860)	AID	tia:	(21)
Tatsfield	455 (1,258)	σc	CAM	(%)
Titsey	33 (115)	Ga)	16 (40)	
TOTALS	13,433 (41,597)	6 (12)	31 (87)	62 (204)

DRAINAGE AND SEWERAGE.

Apart from installations serving small groups of dwellings, there are nine sewage disposal works in the Rural District which receive sewage for treatment from the surrounding areas. Other dwellings rely on cesspool or septic-tank/filter-bed systems of drainage disposal. The public sewers were extended in several parts of the District to allow connection thereto of 283 dwelling-houses, including 113 previously draining to cesspools.

The extension of main drainage to the Copthorne Bank area was completed in the early part of the year, and considerable progress was made on the reconstruction and extension of the sewage disposal works at Godstone and the laying thereto of a new trunk sewer.

TABLE VII

COUNTY COUNCIL CLINICS AND TREATMENT CENTRES.

	Speech Therapy	9	ŧ	В	î	8	8	By appointment.	9	Ð	8	ŧ	8
	Physiotherapy	ı	e	ę	8	Ð	8	By appointment	By appointment	8	8	8	0
	General Medical	5	Friday p.m.	Monday p.m. (2nd & 4th)	Wednesday p.m. (1st 3rd & 5uh)	Monday p.m.	Thursday Pom. (2nd & 4th)	Tuesday pomo	Monday a.w. (2nd & 4th)	Thursday p.m. (1st & 3rd)	Friday pomo (2nd & 4th)	Tuesday p.m. (1st & 5rd)	Wednesday p.m. (1st & 5rd)
F	kye	ş	5	8	g	8	0	Monday p.m. (2nd)	Wednesday a.m. (1st 3rd & 4th)	Į.	Û	0	8
4	Dental	ı	î	8	0	0	ß	Wednesday a.m. & p.m. Thursday p.m.	Friday a.m. and P.m.	â	8	ê	ŧ
	Ante-Natal	8	8	8	8	8	ı	в	Monday a.m. (2nd & 4th)	â	B	e	8
T. O. T. W. T. O. T.	Infant Welfare	Thursday p.m. (1st & 3rd)	Friday p.m. (1st & 3rd)	Monday p.m. (2nd & 4th)	Wednesday pome (1st 3rd & 5th)	Monday pomo	Thursday p.m. (2nd & 4th)	Tuesday pomo	Tuesday Pom.	Thursday p.m. (1st 3rd & 5th)	Friday p.m. (2nd & 4th)	Tuesday p.m. (1st & 3rd)	Wednesday p.m. (1st & 3rd)
, 10 d	Address of Clinic	BLETCHINGLEY Church Room	BLINDLEY HEATH Church Hall	DORMANSLAND Baptist Chapel	Godstone Club	HURST GREEN St. Agatha's Hall	LIMPSFIELD. St. Andrew's Hall	LINGFIELD. 26 Bakers Lane (Lingfield 45)	Congregational Hall Station Road East. (Oxted 3164)	SMALLFIELD, Church Hall	SOUTH GODSTONE Laghan Hall	SOUTH NUTFIELD. Village Hall	TATSFIELD. Parish Hall

SECTION II

ANNUAL REPORT OF THE CHIEF PUBLIC HEALTH INSPECTOR.

Inspections under Public Health Acts	316
Re-inspections	299
Inspections under Housing Acts	313
Re-inspections	219
Inspections made under the provisions of the Rent Act 1957	26
Drainage surveys	100
Visits to Slaughter Houses for Meat Inspection	558
Inspections of Slaughterhouse Premises	16
Visits to Knackers Yard	12
Visits to Dairies and Cowsheds	1.72
Visits to Schools	9 3
Inspection of Food - number of visits	3 E
Inspections of Food premises	44
Inspections of Shop premises	21
Inspections of Factories and Workshops	106
Piggeries and Poultry Farms - Inspections and Re-inspections	24
Inspections of Tents, Vans, etc.	8 2 Pm.
Inspections under Petroleum Acts and Regulations	111
Drains Water tested	22
Inspection of drainage work in progress	45
Notices served:-	
(a) Informal	218
(b) Statutory	14
Complaints investigated	174
Infectious disease enquiries and collection of specimens	171
Number of Pathological Specimens submitted to the Public Health Laboratory	139
Inspection of refuse tips	108
Commons Inspections	38
Namples of drinking water submitted for	
Bacterial and/or Chemical Analysis	27
discellaneous inspections	216
umber of cesspools cleansed	3,879
mber of loads removed from cesspeols	6,521
pisimeetion of premises	7
isinfestation of premises	92
remises inspected for rat or mice infestation	642
at infestations dealt with by Public Health Department	370
aspections under Pet Animals Act	2
aspections of Animal Boarding Establishments	12
1	

SECTION III. HOUSING TABLE VIII.

20	Inspe	ction of Dwelling houses during the year 1963.	
	(i)	Inspections of houses under Housing and Public Health Acts	548
	(ii)	Number of dwellinghouses (included in sub-head (i) which were inspected under the Housing Acts only.	298
	(111)	Number of dwellinghouses found to be so unfit as to be incapable of repair at a reasonable cost.	10
	(iv)	Number of dwellinghouses (exclusive of those referred to under the preceding sub-head) found not to be in all respects reasonably fit for human habitation.	75
60	Umfit	houses made fit and houses in which defects were remedied.	
	(i)	After informal action by local authority	58
	(ii)	After formal notice under: (a) Public Health Act (b) Housing Act 1957.	10
3.	House	s Demoliahed.	
	(i)	Clearance Areas.	20
	(11)	Not in Clearance Area - as a result of formal or informal procedure under Section 16 Housing Act, 1957.	10
4.	Unfit	houses closed,	
	(i)	Under Section 16 Housing Act 1957 and Section 10(1) and 11(2) Local Government (Missellaneous Provisions) Act 1953.	10
	(11)	Parts of buildings closed under Section 18, Housing Act 1957.	Nil
۳.	5		
5。	Kent .	Act 1957.	
	(i)	Number of applications received for Certificates of Disrepair	1
	(i <u>i</u>)	Councils decision to issue Form L Notices under Schedule III	1
	(111)	Number of undertakings given by landlords to remedy defects	1
	(iv)	Number of Certificates of Disrepair issued	Nil
	(v)	Number of Certificates cancelled on completion of work	Nil
	(vi)	Number of applications for Certificates of Disrepair withdrawn.	Nil
6.	House	s Erected.	
	(i)	Number of houses completed in 1963 by private enterprise.	282
	(88)	Number of houses completed by level sutherity	38

SECTION IV

FACTORIES ACT 1937-1959.

The Factories on the Register of the Local Authority are as follows:-

TABLE IX

	Mechanical Power.	Non-Mechanical Power.	TOTAL
i craft Components	n	^	3
ricultural Engineers	<u>1</u> 3	0	1 3
rerafts Repairs (Engines)	3	Q	3
deries	14	2	16
Repairing	1	Q	
Finishing	1	Ö	1
k Making		0	2
11ders	6-0 A	10	11
Making	ello J	Ç	e. H
baet Makers	3	j	4
a cal Manufacturers	1	0	7
Laners and Dyers	1	0	î
h Builders		Ö	4
rete Products	4	0	4
Provenders	2	Ö	2
tios	7	Ö	1
Le Repairers	1	0	1
103	2	2	d* Op
ssmaking	0	1	1
trical Engineering	2		3
ar Milling	2	Q	2
d Manufacturing	2	Ó	2
nt Storage	2	0	67
ilers Earth Works	2	()	2
nch Chalk Grinders	Ĩ.	Ö	1
nace Manufacture	ī	Ő	1
as Storage	4	0	4
rass Drying	i	0	1
ydraulic Equipment	ī	0	1
rellers	Ō	2	2
inery	8	1	9
underies	0	4	4
paded Lights	1	O	7
ght Engineering Works	18	ĭ	19
tor Repairers	23	4	27
dat Spraying	2	ō	2
mbers	ō	1	i
nters	3	0	3
ojection Room	1	0	1
ttery	ī	0	1
Mar Assembly	1	Ö	ī
no Repairs	3	1	4
ctifiers	1	O	1
frigerator Repairs	1	0	ī
dent Destruction	1	1	2
ilery	0	ī	1
113	2	0	2
Perason	0	1	ī
tnies	2	ō	2
e Making	1	Ö	1
ol Makers	ī	O	ī
lloring	0	3	3
polstery	1	0	1
ur Modelling	ī	Ö	1
			2
leelwrights	2	0	60
relwrights redorafts	2	0	1

136

37

173

TOTALS

The following Table indicating the work carried out during the year 1963 in connection with the inspection of Factories, is submitted in accordance with Section 128 of the Act:

INSPECTIONS:

	Number	Number of			
Premises	on Register.	Inspections	Written Notices.	Occupiers prosecuted.	
1. Factories in which Sections 1,2,3,4 and 6 are to be enforced by Local Authorities.	37	18		Nil	
2. Factories not included in (1) in which Section 7 is enforced by the Local Authority.	136	88	3	Nil	
3. Other premises under the Act (excluding outworkers premises).	N il	Nil	Nîl	Nil	
TOTAL	173	106	4	Nil	

CASES IN WHICH DEFECTS WERE FOUND.

	Number of cases in which defects were found.				Number of cases in	
Particulars.			Referre	which prosections		
iai vivaiais.	Found	Remedied	To H. M. Inspector		were instituted.	
Want of cleanliness (Sol)	Nil	Nil	Nil	Nil	Nil	
Overcrowding (S.2)	Nil	Nil	Nil	Nil	Nil	
Unreasonable temperature (S.3)	Nil	Nil	Nil	Nil	Nil ·	
Inadequate ventilation (S.4) Ineffective drainage of	Nil	Nil	Nil	Nil	Nil	
floors (S.6) Sanitary Conveniences (S.7)	Nil	Nil	Nil	Nil	Nil	
(a) Insufficient	Nil	Nil	Nil	Nil	Nil	
(b) Unsuitable or defective	Nil	Nil	Nil	Nil	Nil ·	
(c) Not separate for sexes	Nil	Nil	Nil	Nil	Nil	
Other offences (not including offences relating to Outwork)	1	1	Nil	1	Nil	
TOTAL	1	1	Nil	1	Nil	

PART VIII OF THE ACT

OUTWORK

(Sections 110 and 111.)

	Section 110			Section 111			
ature of Work.	No. of out-workers in August list required by Section 110 (1) (c)	default in sending lists to	No. of prosecutions for failure to supply lists	No. of instances of work in unwhole-some premises.	Notices served	Prose- outions,	
	(2)	(3)	(4)	(5)	(6)	(7)	
ring) Making rel) etc. Cleaning &	2	Nil	Nil	N±1	Nil	Nil	
Washing.	Nil	Nil	Nil	Nil	Nil	Nil	
ehold linen	Nil	Nil	Nil	Nil	Nil	Nil	
, lace curtains nots.	Nil	Nil	Nil	Nil	Nil	Nil	
ains and iture hangings.	Nil	Nal	Nil	Ni.1	Nil	Nil	
iture and	Nil	Nil	Nil	Nil	Nil	Nil	
tro-plate	Nil	Nil	N11	Nil	Nil	Nil	
-making	Nil	Nil	Nil	Nil.	Nil	Nil	
s and brass oles.	Nil	Nil	Nil	Nil	Nil	Nil	
pulling	Nil	Nil	Nil	Nil	Nil	Nil	
and steel	Nil	Nil	Ni.l	Nil	Nil	Nil	
and steel ors and graphels	Nil	Nil	Nil	Nil	Nil	Nil	
gear.	Nil	Nil	Nil	Nil	Nil	Nil	
, latches	Nil	Nil	N±1	Nil	Nil	Nil	
illas, etc.	Nil	Nil	Nil	Nil	Nil	Nil	
icial jewels.	1	Nil	Nil	Nil	Nil	Nil	
other than	Nil	Ni.1	Nil	Nil	Nil	Nil	
	Nil	Nil	Nil	Nil	Nil	Nil	
	Nil	Nil	Ni.1	Nil	Nil	Nil	
et and s balls	Nil	Nil	Nil	Nil	Nil	Nil	

PART VIII OF THE ACT (Continued)

OUTWORK

(Sections 110 and 111)

	S	Section 111							
Nature of work.	No. of out-workers in August list required by Section 110 (1) (0)	No. of ases of ases with the sending lists to the Council.	No. of prosecutions for failures to supply lists.		Notices served.				
40 m m m	(2)	(3)	(4)	(5)	(6)	(7)			
Leather goods	N.J.	Nil	N11.	Nil	Nil	Nil			
The making of boxes or other receptacles or parts thereof made wholly or partially of paper.	Nil	Nil	37.1.2	Nil	Nil	Ni.1			
Brush making.	Nil	Nil	ni l	Nil	Nil	Nil			
Pea picking	Nil	NII	Nil	Nil	Nil	Nil			
Feather sorting	Nil	Nil	Ni.l	Nil	Nil	Nil			
Carding, etc. of buttons, etc.	N.1.	Nil	Nil	Nil	Nil	Nil			
Stuffed toys.	Nil	Nil	Ni.1	Nil	Nil	Nil			
Basket making	Nil	Nil	Nil	Nil	Nil	Nil			
Chocolates and sweetmeats.	Nil	1.7.7.1	N.1.1	Nil	Nil	Nil			
Cosaques, Christmas stockings, etc.	Nil	N11	Nil	Nål	Nil	Nil			
Textile weaving	N1.1	Nil	NIA	Nil	Nil	Nil.			
Lampshades	4.	Nil	Nil	NIX	Ni.1	Nil			
	3								
TOTAL	T	NAL	Nil	Nil	Nil	Nil			

OUTWORK (SECTION 110 and 111)

During the year 4 1 to or cutworkers were received and referred to the undermentioned occupa ous:

Wearing appared 2
Costume pewellery. ... 1
Lamp shales ... 4

The premises involved were all pro ato dwellings and run very satisfactorily and on inspection to a tion was necessary under the Factories Act.

FIRE REAL SECTION 4)

The Survey of means of established for a factory promises. This is run to conjunction with their true money, or the provision of adequate fire fighting facilities.

Any northwest in of the end then to eserved during the course of inspertion of factors premised for other purposes are immediately referred to the Dr. Horal Fire Outroes.

REFUSE COLLECTIONS.

The quantity of refuse collected during the year under review showed a very large increase is comparison with the period immediately preceding it, due to the increased amount of wrapping paper, cartons, etc.

It has been estimated that the refuse per 1,000 population rose from some 12.8 owts, to 15.7 owts, per day. This means in terms of collection quite a considerable increase in bulk, most of which is of a combusticle nature

The decrease in ash and finder content is, of course, most marked and ultimately will tend to disappear due to the great expansion of electric, gas and oil fired heating. Large quantities of tins and bottles are collected and together with the organic matter, paper, cardboard carton to low a difficult material to consulidate and cover. A serious fire a and is always present.

In the early part of the year our Chaseside mechanical showel broke down and it was decided to hire a track showel from a local contractor. This proved after three months trial, to be unsatisfactory for various reasons and the Council decided to purchase a new 12H Weatherill wheeled mechanical showel. So far this vehicle has proved to be most satisfactory. It consolidates, digs and levels with commendable speed and efficiency. Our operator quickly gained sufficient skill to get the best out of the machines capabilities, and he does a very satisfactory job on the tip.

I have remarked before that there is no substitute for a properly consolidated, rolled and levelled surface if refuse vehicles are to obtain reasonable access to the tip face. One quite serious fire arose and was dealt with by "smothering" the seat of the fire to cut off the oxygen supply. The fire was, we believe, started deliberately but no proof could be found.

Weather conditions during the summer months became so bad that the tip was covered with a slurry of mud some 6" to 9" in depth. This in turn made access to the tip very difficult and gave rise to punctures and other troubles directly attributable to this source.

The baling of waste paper came to a complete halt due to the unsatisfactory state of the market, and no paper salvage was sold during the year The future position is rather obscure

PET SHOPS ACT 1951

Only two premises come within the provisions of the above Act.

In neither case was they any contravention observed and both

premises were run in a satisfactory manner

The sale of budgerigars surplus to requirements is the main business

SECTION V. FOOD AND DRUGS ACT. 1955.

The Surrey County Council is the Authority responsible for the sampling of foodstuffs, and the following list is a record of the samples and action taken within the Godstone Rural District. In addition a return of the samples submitted and analysed throughout the County for 1963 is appended.

SAMPLES AND ACTION TAKEN WITHIN THE GODSTONE RURAL DISTRICT

Analysed Adulterated or Irregion Articles Formal Informal Total Formal Informal FOOD: Stock tablets 1	
Formal Informal Total Formal Informal FOOD: Stock tablets 1	1.
Stock tablets I	
Brad mix Dutter Chicken and Rice, tinned Confectionery, flour Confectionery, sugar	
Unicken and Rice, tinned Lincken and Rice,	1
Confermionery, flour Confermionery, sugar Cream, double Cream, Jersey Crispbread 2 2 3 1 1 1 1 1 1 1 1 1 1 1 1	1
Crispbread	
Currents 1 - 1	
Flah Paste Foam Crystals, lemon 1	
Fruit, fresh - various - 4 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Marzipan	1
Priez. egg and bacon Priez, meat laisins Standy, lemonade 1	
Sugar 1 - 1 Sultanas 1 - 1	
Vegetables fresh Vine, non-alcoholic Voghourt 1 1 1 1 1 1 1 1 1 1 1 1 1	1
PRUGGS:	
oothpaste, medicated - 1	
TOTALS 87 12 99 4 1	5

FOOD AND DRUGS ACT, 1955.

Return of Samples analysed during the year 1963.

Articles		Samples	Adulterated or Irreg			
	Formal	Informal	Total	Formal	Informal	1
FOOD:						
Almonds, ground	9	Carp.	1			
Aspic Jelly powder		1	1			
Beef Stock tablets	3.	63	1			ı
Biscuits	2	ca	2			
Bread	Â,	1	5	4		
Bread mix	1	Cate	1			
Butter	6	etro	6			
Cheese	ത	1	eth			
Cheese spread	1	ay.	2	,		
Chicken and Rice, tinned	1	ca	1			ı
Cochineal, extract of	1	CID FID	1	96		ı
Confectionery, flour	• 7	3	10	1	-	
Confectionery, sugar	3	3 2	6	1	-	
Cream Cream-clotted	2		4			ı
OLGSITT GTO P CON		1.	1			ı
Cream, dairy, tinned Cream, double	2	2	4			١
· Cram, Jersey	1	AD		Marin Carrier Ma		
Cream, Single	2	· Oth	2			Į
Cream, sterilized	2	1	3			ı
Crispbread	i	com Comp	1			
Crumpets	ī	c>	1	ı	000	
Curants	ī	(l î			I
Curry, beef & vegetable	GAD	1	1			
Drinking Chocolate	cao	1	1			
Dripping	2	-	2			
Fish Cakes	2	(AD)	2			
Fish paste	2	1	3			
Fish, timed	cm	1	1			
Flour	14	•	14	1	-	
Foam crystals, lemon	1	0.60	1			
Fruit, fresh - various	5	17	22			
Haslet	1	emo	1			
Health Drink	1	===	1		-	
Honeycomb Mould	œ>	1	1		1	
Horseradish Sauce	=	1	1			
Hungarian Goulash	3	1	3			
Ice Cream mix	3	ī	i			
Jam	3	olu COR	3			
Liver, Calves	ĭ	-	1	1 *	-	
Margarine		1	5	-		
Marmalade	2	ato ato	2			
Marzipan	2 2 2	cm	2			
Mayonnaise	1	æ	1			
Meat, cooked and prepared	8	7	15	1	-	
Meat paste.	an	2	1	-		
Milk	544	7 6	620	9 0	-	
Milk powder	gc)	1	1			
Milkset, instant	CTID .	1	1			
Mincemeat	2	emo	2			
Orange juice, concentrated	em 91	1.	1			
Peanut butter	1	CSR	1 1			
Peel, mixed	do	2	2			
Pickles	(2)	2	4			
Carried forward	642	131	773	1.9	1	

	1					
Articles		Samples		Adulter	ated or In	regular
	Formal	Informal	Total	Formal	Informal	Total
Brought forward	642	131	773	19	1	20
s, egg and bacon	1	cate	1			
, meat	1	1	2			
ito Crisps	1	CIID	1			
ling, meat, tinned	1	one one	1			
ling, rice, tinned	00.00°	1	1	1		
ling, sago, tinned	- m	1	1			
ins	2	C20	2 .			
Post to an	=	1	1			
Butter	4	1 2	1			
sages . tinned	**	1	6		1	1
ndy, lemonade	1	-	i		1	_
drinks	9	3	12	1	_	1
fing, sage and onion	3	ap	3			
ur .	1	1	2	manufacture and the second and the s		
anas	1	eo	1			
	1		1			
tabls, fresh - various	5	12	17			
gar	1	3	4			
egar bottle (discoloured)	1	-	1	1	-	1
зky	2	CHO	2			
e, non-alcoholic	1	en en	1			_
iowt .	ಡು	1			1	1
<u>}S:</u>				are unamed and the second and the se		
i-hystamine tablets	CRES	1	1			
iseptic throat lozenges	650	2	2			
arrh and Cough pastilles	1	3	4			
eine linctus	-	1	1			
Liver Oil	939	1	1			
d and Influenza mixture	-	1	1			
pound Glycerine of Thymol	1	400	1			
gh Linotus	GEO	3	3			
cerine, Honey and Lemon syrup	000	1	1			
igestion tablets n and Vitamin C Tablets	-	2	2			
ve Oil B.P.	1	4	1			
s Hip syrup		2	2		2	2
thpaste, medicated		1	1		2	4
amin syrup	-	î	i			
amin tablets	one .	i	li			
CONT. 1 - 1 - 1 - 1 - 1						
TOTAL	681	180	861	21	5	26
TOTAL	001	190	001	21	5	40

Legal proceedings were instituted against a Co-operative Society for selling pigs liver as calves liver. On conviction they were fined £2 2.-d, with £1.1.-d. costs.

Legal proceedings were instituted against a dairy farmer for selling milk containing 14% added water. On conviction he was fined £10,-,-d. with £4.13,-d. costs.

SECTION VI.

INSPECTION AND SUPERVISION OF FOOD AND FOOD PREMISES.

MILK SUPPLY.

All dairy herds within the Godstone Rural District have for some years been tuberculin tested and all milk produced has been under the designation Tuberculin Tested.

There are three dairies registered for the bulk storage of retail supplies and one licensed pasteurising establishment. In addition there are seven shops holding licences to sell pre-packed designated milks.

Regular sampling of all milks whether pasteurised or raw is undertaken and these are submitted to the Public Health Laboratory at Brighton. Out of 130 samples submitted only 6 failed the methylene blue and 4 failed the phosphatase test for Pasteurised milk. The latter, on investigation, was found to be due to a faulty recording thermometer, there being nothing wrong with the actual plant.

Some 43 samples taken on the farm at the time of production and submitted for biological examination all proved to be satisfactory with the exception of one sample which was positive for brucella organisms and this was at once referred to the Animal Health Division of the Ministry of Agriculture, Fisheries and Food. The offending animal was kept in isolation until treatment had successfully been completed.

The supplies to schools are also sampled and the particulars are included in the attached table.

MILK SAMPLES.

(a) Farm Samples.

No.	of "	samples	submitted passed the failed "		biological	L exam	mination	43 40 1
11	Ħ	11	void					2
87 11.	11	11 11	submitted passed	for	methylene	blue	test	3
11	11	11	failed	11	11	11	Ħ	_

(b) Pasteurising Establishment.

No.	of	samples	submitted	for	methylene	blue	& phosphatase	tests	48
17	11	īt	satisfied	the		11.	11	17	48

(o) Dairies & Milk Shops (Pasteurised)

No.	of	samples	submitted	for	methylene	blue	& phosphatase	tests	61
18	11	10	satisfied	the	89	11	11	Ħ	57
11	11	11	failed	#8	11	11	11	11	4

Raw Milk (Farm Bottled)

No.	of	samples	submitt	ed for	methylene	blue	test	10	
11	11	11	passed	the	11	11	11	4	
11	11	11	failed	88	11	17	11	6	

(d) School Milk

No.	of	samples	submitted	for	methylene	blue	& phosphatase	tests	11
11	81	11	satisfied	the	11	11	11	11	11

LABORATORY FACILITIES.

Pathological specimens, samples of milk, water and food are sent to the Public Health Laboratory at Brighton which is under the direction and supervision of Dr. Jameson. His help and advice, and that of his laboratory staff, have for some years been readily available to use and this is of considerable benefit in cases of suspected food poisoning.

The laboratory is designed to serve local authorities in the County of Sussex and we are very fortunate in being able to send our specimens to Brighton. The train service enables specimens to be sent and received at the laboratory the same day. Urgent pathological specimens can be quickly taken by road if necessary.

SHOPS ACT 1934 and FOOD & DRUGS ACT 1955.

During the year 44 inspections were made of food premises. Visits to food premises to inspect food amounted to 33. We found most shop keepers very co-operative and ready to accept advice when offered. No action for prosecution was necessary.

Food premises situated within the Godstone Rural District are listed in the following categories:-

Grocers, Provision Merchants and General Stores	73
Bakers and Confectioners	41
Greengrocers and Fruiterers	15
Restaurants, Cafes and Snack Bars	39
Fishmongers	7
Public Houses	51
Butchers	25
Hospital, Private and Boarding Schools	35
Registered ice-cream premises	110
Works canteens, etc	63

The attached list is a table of foodstuffs inspected and condemned as unfit for human consumption:-

MEAT:

- 56 lbs. English beef bone taint.
- 195 lbs. English beef parasitic infestation,
- 20 chicken decomposition following delay in transit.
- 40 lbs. Synthetic cream decomposition following delay in transit
- 140 cases dairy mousse stale.

OTHER FOODSTUFFS:

- 51 tins fruit blown and damaged tins.
- 4 tins ham blown tins.
- 45 tins meat blown and damaged tins.
 - 6 tins veg. blown tins.

ICE CREAM.

No ice cream samples were submitted for examination during the year. Without exception all the well known manufacturers are subjected to regular sampling at the factory, and it would be an expensive and unnecessary duplication to fake routine samples on delivery.

No complaints were received but, of course, should any be made an immediate investigation and sampling would be carried out.

SLAUGHTERHOUSES.

Three of the five private slaughterhouses completed the necessary improvements required to comply with the slaughterhouse Hygiene Regulations and were duly licensed.

The amount of slaughtering has not diminished with the reduction in the number of premises licensed. Evening slaughtering, of course, continues because of the economic benefit to the butchers concerned. Unfortunately this means considerable evening work and mention must be made of the loyal and efficient services of Mr. P.F. West, Deputy Public Health Inspector.

Parasitic conditions, particularly cysticerous bovis shows no sign of improvement and some 16 carcases were found to be infested. Tuberculosis is now something of a rarity.

The number of visits to slaughterhouses for the purposes of meat inspection amounted to 558 and 3,633 carcases were inspected. This represents 100% inspection.

Diseased meat is disinfected before disposal but where the condition is mainly due to injury or pathological change, colour staining is carried out and the meat is then released for animal feeding.

One licensed knackers yard is in operation and this was run quite satisfactorily throughout the year.

CARCASES AND OFFAL INSPECTED AND CONDEMNED IN WHOLE OR IN PART DURING THE YEAR 1963.

	Cattle Excluding Bulls & Cows.	Bulls	Cows	Calves	Sheep and Lambs.	Pigs
Number killed	439	Cas	42	764	1200	1188
Number inspected	439	***	42	764	1200	1188
All diseases except Tuberculosis and Cysticerci.						
Whole carcases condemned	com J	••	-	2	-	6
Carcases of which some part or organ was condemned.	50	ರವು	17	2	18	92
Percentage of the number inspected affected with disease other than tuberculosis and cysticerci.	11.39	cas	40.48	.26	1.5	7.7
Tuberculosis only: Whole carcases condemned.		-	-	-	-	-
Carcases of which some part or organ was condemned.	-	-	-	-	_	5
Percentage of the number inspected affected with tuberculosis.	0.00	0.00	0.00	0.00	0.00	.42
Cysticercosis: Carcases of which some part of organ was condemned.	16	653	-	-	<u>-</u>	-
Carcases submitted to treatment by refrigeration.	16	•	-	-	**	-
Generalised and totally condemned.		ONES	dici		-	-

MEAT INSPECTION

SUMMARY OF CONDEMNATIONS OTHER THAN TUBERCULOSIS AND CYSTICERCI.

Sheep and Lambs.	Pi Bg b	Calves	Cattle.	
8	7	100	8	Complete Carcase and Organs.
17	34	Н	50	Liver
9	φ	0	ت.	Lungs
ı	7	8	СЯ	Head and Tongue
8	14	ð	ಬ	Heart
8	7	8	0	Complete Pluck,
اسر	Ю	9	1	Legs.
8	18	سر	7	Other parts.

SECTION VII.

THE PREVENTION OF DAMAGE BY PESTS ACT 1949.

The work carried out by our Rodent Operator during the year under review is shown in detail in the annual return submitted to the Ministry of Agriculture, Fisheries and Food (Pest Control Division), a copy of which is attached.

The number of rat and mice infestations show an increase over last year. Major infestations are, however, remaining at a satisfactory low level due to constant inspection and vigilance, particularly where conditions are favourable to the support of vermin. Premises such as tips, piggeries, sewage disposal works and similar establishments must be kept under regular supervision.

The testing of sewers was not considered necessary, but bi-annual tests will be made to ensure that infestation does not build up unnoticed.

Convalescent Homes and similar types of premises are visited regularly and in the case of Surrey County Council owned buildings, we have an arrangement whereby treatment for rats, mice or fly infestations is carried out at an agreed cost. Schools and School Canteens are also dealt with similarly.

Wasp nests and wild bee swarms are also destroyed where for various reasons the householder is unable to cope with the work, and a charge of 10/6d, per nest or swarm is levied.

TABLE X

PREVENTION OF DAMAGE BY PESTS ACT, 1949.

REPORT FOR 12 MONTHS ENDED 31st DECEMBER, 1963. TYPE OF PROPERTY Non-Agricultural (1)(4) (5) (2)(3)Dwelling All other Total of Houses (inc. (including Agricul-Local Cols Authority, Council Business (1)Premises.) Houses.) and Number of properties in Local Authority's 12 1,260 11,775 13,047 486 district. (See Notes 1 and 2 overleaf.) Total number of properties inspected as a 7 324 36 367 7 result of notification. (See Note 3) Number of such properties found to be infested by: Major 10 4 3 Common rat 4 279 Minor 253 22 3 Major 3 1. House mouse (See Note 4) Minor 63 53 10 Total number of properties inspected 4 6 in the course of 55 65 2 Survey under the Act. Number of such properties found to be infested by:-Major 7 9 Common rat Minor 1 31 2 34 Major House mouse Minor 3 1 4 Total number of properties otherwise inspected (e.g. when 642 visited primarily for some other purpose.) Number of such properties found to be infested by:-Major Common rat Minor Major House mouse Minor Total inspections carried out including re-inspections (To be completed only if figures are readily available.)

-46-

			TYPE OF	PROPERTY		
			Non-Agri	cultural		
		(1)	(2)	(3)	(4)	
		Local Authority	Dwelling Houses (inc. Council Houses.)	All other including Business Premises.	Total of cols. (1) (2) and (3)	Ag tu
VI	Number of infested properties (in Sections II, III and IV) treated by the L.A.	10	360	40	410	
VII	Total treatments carried out - including re-treat- ments (To be completed only if figures are readily available) (See note 3)	CED	CITS	©	e	
VIII	Number of notices served under Section 4 of the Act:	The control of the co				
	(a) Treatment	co	czo	aw .	æ	
	(b) Structural Work (i.e. proofing)	And the first the second secon	:10	85	carr	
IX	Number of cases in which default action was taken following the issue of a notice under Sect. 4 of the Act.	The second secon	TICS		æ	
х	Legal Proceedings (See XII below)		os	co	-	
XI	Number of "Block" control schemes carried out.		18			

Where legal proceedings have been instituted by the Local Authority brief particulars should be given here:-

NIL

XIII Any other points of interest:-

- With the exception of agricultural properties, a property means one which is entered separately in the Valuation Roll for the area. NOTE 1.
- Premises used by the L.A. for the purposes of trade should NOTE 2. be entered in Col. (3),
 - (ii) Sewers should not be included.
 - (iii) Combined dwelling and business premises, where occupied by the same person, should be regarded as business premises and should be entered in Col. (3). Where the dwelling and business parts of the premises are in separate occupation, separate entries should be made in Cols. (2) and (3).
- NOTE 3. In filling in the first lines of Secti ns II, III and IV each property should be counted once only. On other lines, if two or more species are found on the same property, it should be counted for each species.
- Do not include other mouse-like rodents such as field-vole, wood-mice, NOTE 4.

CARAVAN SITES AND CONTROL OF DEVELOPMENT ACT 1960.

There are 14 licensed caravan sites within the Rural District.

Eight sites are on temporary basis and two have been closed. The number of caravans on the permanent sites amount to 73. Regular inspections are made of all sites and in general they are well run and give rise to very little trouble. The Council also have under consideration a scheme to provide an official site where accommodation will be made available for caravan dwellers displaced from temporary sites.

